10

15

20

25

Method for Providing Summary Information about Recipients of IP Multicast Sessions

Field of the Invention

This invention is concerned with IP multicasting sessions and in particular with obtaining and storing information concerning multicast recipients.

Background of the Invention

Multicasting is a communication technique permitting a single transmission device to transmit to a plurality of receiving devices. It differs from broadcasting over a radio air interface by, for example, defining specific recipients as group members in contrast to broadcast media. It often uses a wired network to transmit from a single transmission source device to a designated group of receiving devices. Being different from traditional broadcasting, the advent of multicast presents the opportunity to exploit its medium in many ways to permit development of advantageous features not available in the traditional broadcast medium.

Multicasting in a network setting simultaneously sends messages to a selected group of receiving (i.e., PCs; workstations, etc.) stations. The network may comprise, in-part or in-total separately or in combination, a telephone network; an Internet network; a LAN, a WAN and other similar arrangements. Multicast transmissions, from a network termination point to a host receiver device, of a receiving group, are subject to IGMP (Internet Group Management Protocol) standards. Examples of network termination points, to which a group of host receivers may be connected, are edge

10

15

20

25

routers; gateways and other edge devices located in an IP network point-ofpresence, etc.

IGMP is a protocol that is used to provide group membership data to neighboring multicast routers at the edge of a network. Recipient hosts are individually queried as to the membership group that they belong to and each provides leave group messages when a host wishes to leave a multicast session. A purpose of these queries is to insure that only group end hosts receive the multicast sessions. IGMP is only a subset of existing IP protocols but it is essential in order for the multicast session to work. While supposedly dealing with a group of recipient hosts its queries are generally individually received by all recipient host stations of that group. The last active station of a group sends notice that it is ending its multicast session and the multicast source ceases transmissions to the now inactive group. IGMP is currently in version 2, but a version 3 is presently being developed. A typical header of an IGMPv2 is shown in the FIG. 1

It is desirable to obtain new advantages from attributes that the multicast system presents to the network (i.e., source content provider) provider. Many advantages are desirable but may not conform to existing IGMP protocol standards. In other instances such advantages may not conform to capabilities of existing equipment. It is desirable that any new features conform to existing IGMP and IP standards and network equipment.

Summary of the Invention:

A method is provided for providing content providers with specific information about recipients receiving a multicast session, which conform to applicable standards and network equipment. By judicious enhancement of the network POP (i.e., Point-of-Presence) and multicast packet header (i.e.,

10

15

20

25

datagram) enhancement, the identity of a recipient or host may be identified in a suitable manner that provides the content provider with information about the recipients as a group without compromising the privacy of any individual host/recipient of a multicast session.

In a particular embodiment of the invention, information (i.e., demographic) about host recipients of the multicast are gathered through enhanced multicast-unicast gateways (MUG) included in the network point-of-presence of the host and through the agency of an enhanced IGMP (i.e., non-conflicting additions to the protocol standard). The information is processed at the POP and stored in a measurement server, either during or after the multicast session. This information may be provided to the multicast session provider. It may also be used to automatically initiate actions in response to parameters specified by the session provider. It may be used to dynamically select content such as notices and/or advertising offerings.

Content providers make use of this information to specify direct notices and advertising to the recipient hosts. Selectivity may be based on location of the recipient host; the number of recipient hosts connected to the multicast; the programming selected by the multicast recipient host and other similar considerations. These selections may be made prior to a multicast session with instructions to respond dynamically to recipient host information collected during of a session or made prior to a multicast session based on prior collected information. Such information may be made available subsequent to a multicast session in order to provide for contracted billing information. Thus the information collected may be put to many varied uses included and in addition to those enumerated above.

20

25

5

In another variant the information collected in the process may be information valuable in its own right separate from the immediate addressing of notices to the host recipients. Demographics of a general nature may be collected over a period of time and used to tailor future multicast sessions to the existing audience. This information may, for example, be used to entice future sponsors and advertisers of projected multicast sessions/programming. Many other services that this information permits are readily apparent to users of this method and need not be specifically enumerated.

10 Brief Description of the Drawing:

- FIG. 1 is a schematic of a multicast packet header used in IGMP;
- FIG. 2 is a schematic of a modified multicast packet header used in IGMP and further enhanced to permit gathering of information about recipients of IP multicast sessions;
- FIG. 3 is a schematic of a system supporting multicast sessions having unicast access links connecting a host receiver to the network Point-of-Presence;
- FIG. 4 is a schematic of a system supporting multicast sessions having multicast access links connecting a host receiver to the network Point-of-Presence;

Detailed Description:

Providing multicast programming, in contrast to providing unicast programming, requires identifying host recipients in terms of a group membership or association. IGMP is a protocol that is used to provide group membership data to neighboring multicast routers at the edge of a network. IGMP is a protocol specifically used by IP systems. This protocol is used for

10

15

20

25

additional control functions which are known to those in the art but which are not specified herein. It is periodically updated and revised and currently exists as version 2 (IGMPv2).

The existing IGMP (vesion 2) is reflected in a message (i.e., packet header) format as shown in the FIG. 1, which essentially presents a membership query. It includes a type number field which identifies the message type; a membership query, a membership report, etc. (i.e., membership of a group) Only messages with a specified type are dealt with for multicast purposes. The type number field is followed by a maximum response time field that defines the maximum elapsed time for the filing of a membership report. The check sum field includes a check number to validate correctness of the over all IGMP message. The group address field defines the address of a group query. These data fields are well known to those in the art and are not discussed further. Typical exemplary data are:

Type = 0x11 Membership Query, 0x16 Membership Report, 0x17 Leave Group

The data provided by this message data header does not provide sufficient data to fulfill the objective of providing information about the host recipient. A host Address field is shown in the message data header of FIG.

2. The added address field is in harmony with the existing IGMP and provides the information to achieve the provision of data concerning the host receiver.

The enhanced message format may be characterized, for example as providing:

Type = 0x21 Membership Query, 0x26 Membership Report, 0x27 Leave Group

The inclusion of the address field is to provide the IP addresses of host recipients joining or leaving an IP multicast session. The required

10

15

20

25

actions on the part of a host receiver are to 1) issue a host membership report when joining a multicast group and 2) issue a leave group message when it leaves a multicast group. This information as described below allows the neighboring (i.e., edge router) router to track, in real time, the host receivers that are receiving IP multicast sessions.

A multicast system architecture using IP unicast Access Links coupling a host group to the POP of a multicast network is shown in the schematic of FIG. 3. A global IP network 301 is shown connecting streaming multimedia servers 303 to the Point-of-Presence (i.e., terminating point of the network where local device is coupled to the network) (POP) 305. The POP 305 is connected to a customer computer 307 over an unicast access link 309. Link 309 is this embodiment is an unicast link

Streaming multimedia server 303 combines a plurality of media (i.e., audio, video, text, etc.) to produce an integrated signaling format. Streaming is accomplished by means of transmitting packets sufficiently fast so that significant buffering is not required by the recipient. Streaming is known to those in the art and need not be discussed in detail.

The streaming multimedia server 303 is connected to a global IP network 301. IP networks such as network 301 may use cable, fiber, wired or wireless transmission media. Selection or combining of media is well known and is not described in detail herein. The primary mode of information is structured into datagrams which are packets having source and group destination addresses and in the invention host recipient addresses.

The IP network 301 conforms to the IP protocol and transmits IP datagrams, in multicasting sessions to a host group represented by the

10

15

20

25

plurality of customer computers 307, via the POP 305. POP 305 is a termination point for the network 301 and includes a proxy server 311 a multicast-unicast gateway 313, a measurement collector 315 and a directory server 317.

The proxy server 311 performs an address mapping function to act as a barrier (i.e., a firewall) between the IP network 301 and the MUG 313. MUG is a gateway (i.e., an edge device at the network terminus) which connects the multicast IP network 301 to the incompatible local unicast network of the customer computers 307. According to the invention the MUG includes enhanced software to permit determination of the number of customers (i.e., customer computers 307) currently receiving a multicast program. In the illustrative embodiment this requires counting of the IP unicast streams associated with the IP multicast stream. Gateway 313 also performs code and protocol conversions between the local unicast system and the network multicast system.

A measurement collector 315 is coupled to poll the MUG 313 and obtain the number-of-streams data from the MUG 313. It is also connected to collect profile information from a directory server 317 containing user profile information collected from many sources. This profile information is combined with the number of active host recipients to provide aggregate global information to enable evaluation of strategies by information source providers.

The information collected by the measurement collector 315 is forwarded via the proxy server 311 and IP network 301 to a measurement server 321 where it can be readily accessed by the network 301 and the providers of the streaming multimedia.

10

15

20

The measurement server is connected via the IP network 301 to a billing server 325, which maintains charging information related to providing the information service. The billing, to programming providers, may be on a subscription basis or on an individual per transaction use basis, for example.

System architecture using multicast access links 409 between a POP 405 and the host recipient customer computers 307 is schematically shown in the FIG. 4. POP 405 includes an edge router 413 (i.e., an edge device at the network terminus) to provide routing of the various multicast streams to the customer computers 307. The edge router 413 is enhanced with software to determine the number of customer computers receiving the IP multicast content. This is achieved by utilizing the header information, such as shown in FIG. 2 as the host addresses, included in the IGMP messages exchanged between the customer computers 307 and the edge router 413.

The measurement collector 315 periodically polls the edge router to record this data and by using information supplied by the directory server 317 to develop aggregate information about the recipients of the multicast session. The information is forwarded to the measurement server 312 and the billing server 325 provides billing.

An exemplary embodiment of the invention has been disclosed. It is to be understood that many variations of these embodiments may be created by those skilled in the art without departing from the spirit and scope of this invention.

2

3

4

1

2

3

4

1

1

1

What is claimed is:

1	1. A method of providing summary information about recipients of
2	multicast sessions, comprising the steps of:

- enhancing the operation of an edge device to count the number of recipient hosts of an IP multicast session;
- storing the count in a measurement device and supplementing the count with information supplied from a directory source;
- generating aggregate information about audience levels and demographics of recipient hosts of the multicast session; and
- supplying the information to a supplier of the multicast session permitting an immediate evaluation and response.
 - 2. The method of claim 1 wherein:
 - the step of enhancing the operation of an edge device includes a step of counting streams traversing a MUG type edge device using an unicast link between the edge device and the recipient hosts.
 - 3. The method of claim 1, wherein:
 - the step of enhancing the operation of an edge device includes a step of enhancing a protocol message to provide IP addresses of recipient hosts of the multicast session connected to the edge device.
 - 4. The method of claim 1, further including:
- a step of reporting IGMP membership and leave group reports from a host recipient to an edge device.
 - 5. The method of claim 1, further including:
- a step of aggregating information collected to insure privacy of individual host recipients.
 - 6. The method of claim 1, wherein:

2	the step of supplying information includes a step of billing the
3	supplier for the information provided.
1	7. The method of claim 1, wherein:
2	the step of supplementing the count includes a step of creating a
3	directory-listing members of groups of multicast host recipients.
1	8. The method of claim 1, further including a step of:
2	enhancing IGMP messages to include IP addresses of hosts that join
3	and leave multicast sessions.
1	9. The method of claim 1, further including a step of:
2	including IGMP software in an edge router and in a host PC to report
3	IP addresses of host recipients as they join and leave multicast sessions.
1	10. The method of claim 1, further including a step of:
2	including with an edge router an enhancement to provide IP addresses

of host computers that join and leave multicast sessions.

10

Abstract of the Disclosure:

A method is provided for providing content providers with specific information about recipients receiving a multicast session, which minimally impacts applicable standards and network equipment. By judicious enhancement of the network POP (i.e., Point-of-Presence) and multicast packet header (i.e., datagram) enhancement, the identity of a recipient or host may be identified in a suitable manner that provides the content provider with information about the recipients as a group with out compromising the privacy of any individual host/recipient of a multicast session.

1999-0515

Bhagavath; O'Neil

IGMP Version 2 message format:

Checksum	Address
Max Resp Time	Group Address
Type	

(Prior art) **FIG. 1**


Enhanced IGMP message format:

Checksum	Address	ddress
Max Resp Time	Group Address	Host Address
Type		

FIG. 2


1999-0515

Bhagavath; O'Neil



1999-0515

Bhagavath; O'Neil



PTO/SB/01	MODIFIED	RΥ	AT2T	CODD
FIUISDIUI	MODIFIED	01	Αιαι	CORP.

DECLARATION FOR	Attorney Docket Number	1999-0515					
UTILITY OR DESIGN PATENT APPLICATION	First Named Inventor	Vijay K Bhagava	th				
TATENT ATTEIOATION	C	OMPLETE IF KNOWN	٧				
Declaration Declaration	Application Number						
Submitted OR submitted aft with Initial Initial Filing	Filing Date						
Filing	Group Art Unit						
	Examiner Name						
As a below named inventor, I hereby declare that	af:						
My residence, post office address, and citizenship are as stated below next to my name. I believe I am the original, first and sole inventor(if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled: Method For Providing Summary Information About Recipients Of IP Multicast Sessions							
	(Title of Invention)		-1				
the specification of which	·						
is attached hereto							
OR r÷™							
was filed on as United States Applic Application Number and was amend	ation Number or PCT International ded on (if applicable).						
I hereby state that I have reviewed and understand specifically referred to above.	the contents of the above identified specifi	cation, including the claims	s, as amended	by any amendment			
l acknowledge the duty to disclose information which	h is material to patentability as defined in Tit	le 37 Code of Federal Regu	ulations,§ 1.56.				
I hereby claim foreign priority benefits under Title 35, United States Code § 119 (a)-(d) or § 365(b) of any foreign application(s) for patent or inventor's certificate, or § 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or of any PCT international application having a filip date before that of an application on which priority is claimed.							
Prior Foreign Application Number(s)	Country	Foreign Filing Date	Priority Not	Certified Copy Attached?			
Many (A)		(MM/DD/YYYY)	Claimed	YES NO			
Additional foreign application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto							
I hereby claim the benefit under 35 U.S.C. 119(e) of any United States provisional application(s) below.							
Application Number(s)	Filing Date(MM/DD/YYYY)						
	Add sup	litional provisional applicati plemental priority data she	on numbers are et PTO/SB/02B	e listed on a attached hereto			

SEND TO: Assistant Commissioner for Patents, Box Patent Application, Washington, D.C. 20231

Attorney Docket Number: 1999-0515

DECLARATION - Utility or Design Patent Application

between the filing date of the prior application and the national or PCT II U.S. Parent Application or PCT Parent			Parent Filing Date		Parent Patent Number			
Number			(MM/DD/	YYYY)		(if appl		
Additional U.S	s. or PCT International application numbe	ers are liste	ed on a suppleme	ntal priority data sheet PTC)/SB/02B atta	ched hereto.		
As a named invent	tor, I hereby appoint the following re	aistered	practitioner(s) v	with full nower of substit	ution and re	vocation to pro	secute this a	pplication, to
Customer Number			ent, and to transact all business in the Patent and Trademark Office connected the Place Customer Number Bar Code Label here			herewith:		
OR				do cabol fiele	J			
Registered p	ractitioner(s) name/registration number li	sted belov	N					
	Name		Registration		Name			Registration
CONOVER, Mi	chele I.		Number 34962	DE LA DOGA				Number
DELACRUZ, C			36498	DE LA ROSA, O				34810
GARG, Rohin			45272	DWORETSKY, Sa LEE, Benjamir				27873
LEVY, Rober			28234	MCHALE, Susar				42787
RESTAINO, T			33444	STEINMETZ, Al				35948
I also appoint t	the following additional registered practiti	oner(s) na	med on the suppl	emental Registered Practil	ionar Informa	ion about DTO/O	B/02C attached	11 11 11 1
Direct all Corre	ecute said application, to make alterations	s and and	muments therein,	and to transact all busines	s in the Paten	and Trademark	Office connecte	ed therewith.
	spondence to.							
7.7								
si □ Custom	ner Number or Bar Code Label	(Incort)	Customer No. 22	M		_		
☐ Custom	ner Number or Bar Code Label	(Insert	Customer No. or A	Attach bar code label here)		or 🛛 Con	respondence a	address below
Custom		(Insert	Customer No. or A	Attach bar code label here)		or ⊠ Cor	rrespondence a	address below
Custom	ner Number or Bar Code Label Samuel H. Dworetsky T&T CORP. P.O. Box 41		Customer No. or A	Attach bar code label here)		or ⊠ Cor	respondence a	address below
Custom NAME S ADDRESS A	amuel H. Dworetsky						· · · · · · · · · · · · · · · · · · ·	
Custom NAME S ADDRESS A CITY M	Samuel H. Dworetsky T&T CORP. P.O. Box 41	110		Attach bar code label here) ATE New Jerso		ZIP CODE	07748-	
NAME S ADDRESS A CITY M COUNTRY U I hereby declare that a these statements were	Samuel H. Dworetsky AT&T CORP. P.O. Box 41 Middletown United States of Ameri	LCa owledge a	STA	ATE New Jerse	ey	ZIP CODE FAX	07748-	4110
COUNTRY In the separate of th	Gamuel H. Dworetsky T&T CORP. P.O. Box 41 Middletown Vinited States of Ameri	LCa owledge a	STA are true and that a ents and the like s n or any patent iss	ATE New Jerse	ey mation and be	ZIP CODE FAX Elief are believed comment, or both, to	07748 - 732 - 36 to be true; and under 18 U.S.C	4110
NAME S ADDRESS A CITY M COUNTRY U I hereby declare that a these statements were such willful false state	Jamuel H. Dworetsky Tat CORP. P.O. Box 41 Liddletown United States of Americal statements made herein of my own known and with the knowledge that willful fall ments may jeopardize the validity of the and the statements may be statements may jeopardize the validity of the statements may jeopardize the statements may jeo	LCa owledge a	STA are true and that a ents and the like s n or any patent iss	New Jerse Il statements made on informade are punishable by sued thereon.	ey mation and be	ZIP CODE FAX Elief are believed comment, or both, to	07748 - 732 - 36 to be true; and under 18 U.S.C	4110
NAME S ADDRESS A CITY M COUNTRY U I hereby declare that a these statements were such willful false state Name of Sole C	Gamuel H. Dworetsky Tat CORP. P.O. Box 41 Iddletown United States of Amerial statements made herein of my own known and with the knowledge that willful fall ments may jeopardize the validity of the actor First Inventor Vijay K Bhagavath	L10 Ca owledge a se statem application	STA are true and that a ents and the like s n or any patent iss	New Jerse Il statements made on informade are punishable by sued thereon.	ey mation and be	ZIP CODE FAX Slief are believed comment, or both, u	07748 - 732 - 36 to be true; and under 18 U.S.C	4110 58-6932 further that 1001 and tha
Custom NAME SADDRESS A COUNTRY Understand the set statements were such willful false statements Name of Sole Country Name	Gamuel H. Dworetsky T&T CORP. P.O. Box 41 Middletown Whited States of Americal statements made herein of my own known and with the knowledge that willful falterents may jeopardize the validity of the appropriate the validi	L10 Ca owledge a se statem application	STA are true and that a ents and the like s n or any patent iss	New Jerse Il statements made on informade are punishable by sued thereon.	ey mation and be	ZIP CODE FAX Elief are believed comment, or both, to	07748 - 732 - 36 to be true; and under 18 U.S.C	4110
CUSTOM NAME SADDRESS A CITY M COUNTRY U I hereby declare that a these statements were such willful false state Name of Sole of Name Signature	Famuel H. Dworetsky Tat CORP. P.O. Box 41 Tiddletown Inited States of Americal statements made herein of my own known and with the knowledge that willful fall ments may jeopardize the validity of the action of the statement of	L10 Ca owledge a se statem application	STA are true and that a ents and the like s n or any patent iss	New Jerse Il statements made on informade are punishable by sued thereon.	ey mation and be	ZIP CODE FAX Slief are believed comment, or both, u	07748 - 732 - 36 to be true; and under 18 U.S.C	4110 58-6932 further that 1001 and tha
Custom NAME S ADDRESS A COUNTRY U I hereby declare that a these statements were such willful false state Name of Sole C Name Signature Citizenship	Famuel H. Dworetsky Tar CORP. P.O. Box 41 Iddletown United States of Amerial statements made herein of my own known and with the knowledge that willful fall ments may jeopardize the validity of the action of the control of the cont	L10 Ca owledge a se statem application	STA are true and that a ents and the like s n or any patent iss	New Jerse Il statements made on informade are punishable by sued thereon.	ey mation and be	ZIP CODE FAX Slief are believed comment, or both, u	07748 - 732 - 36 to be true; and under 18 U.S.C	4110 58-6932 further that 1001 and tha
Custom NAME SADDRESS ADDRESS ACCITY M COUNTRY Understand these statements were such willful false state Name of Sole of Name Signature Citizenship Address (line 1)	Samuel H. Dworetsky T&T CORP. P.O. Box 41 Middletown Inited States of Americal statements made herein of my own known and with the knowledge that willful falments may jeopardize the validity of the appropriate to the statements with the knowledge that willful falments may jeopardize the validity of the appropriate to the statements with the knowledge that willful falments may jeopardize the validity of the appropriate to the statement with the knowledge that willful falments may jeopardize the validity of the statement with the statement will be statement with	L10 Ca owledge a se statem application	STA are true and that a ents and the like s n or any patent iss	New Jerse Il statements made on informade are punishable by sued thereon.	ey mation and be	ZIP CODE FAX Slief are believed comment, or both, u	07748 - 732 - 36 to be true; and under 18 U.S.C	4110 58-6932 further that 1001 and tha
NAME S ADDRESS A COUNTRY U I hereby declare that a these statements were such willful false state Name of Sole o Name Signature Citizenship Address (line 1)	Famuel H. Dworetsky T&T CORP. P.O. Box 41 Iiddletown United States of Ameri all statements made herein of my own knie made with the knowledge that willful fall ments may jeopardize the validity of the a or First Inventor Vijay K Bhagavath Vjay K. Bhagavath India 45 Broadmoor Drive Lincroft	L10 Ca owledge a se statem application	STA are true and that a ents and the like s n or any patent iss	New Jerse Il statements made on informade are punishable by sued thereon.	ey mation and be	ZIP CODE FAX Slief are believed comment, or both, u	07748 - 732 - 36 to be true; and under 18 U.S.C	4110 58-6932 further that 1001 and tha
Custom NAME S ADDRESS A COUNTRY M I hereby declare that a these statements were such willful false state Name of Sole of Name Signature Citizenship Address (line 1) Address (line 2)	Famuel H. Dworetsky Tat CORP. P.O. Box 41 Tiddletown Inited States of Americal statements made herein of my own known and with the knowledge that willful falments may jeopardize the validity of the action of the statement of th	L10 Ca owledge a se statem application	STA are true and that a ents and the like s n or any patent iss	New Jerse Il statements made on informade are punishable by sued thereon.	ey mation and be	ZIP CODE FAX Slief are believed comment, or both, u	07748 - 732 - 36 to be true; and under 18 U.S.C	4110 58-6932 further that 1001 and tha
COUNTRY Mane of Sole of Name Signature Citizenship Address (line 1) Address (line 2) Address (line 3)	Famuel H. Dworetsky Tat CORP. P.O. Box 41 Tiddletown United States of Americal statements made herein of my own known and with the knowledge that willful fall ments may jeopardize the validity of the angle of the statements may jeopardize the validity	L10 Ca owledge a se statem application	STA are true and that a ents and the like s n or any patent iss	New Jerse Il statements made on informade are punishable by sued thereon.	ey mation and be	ZIP CODE FAX Slief are believed comment, or both, u	07748 - 732 - 36 to be true; and under 18 U.S.C	4110 58-6932 further that 1001 and that

Attorney Docket Number: 1999-0515

	DECLARATION	ADDITIONAL INVENTOR(S) Supplemental Sheet Page of				
Name of Addit	ional Joint Inventor, if any:	etition has been filed for this unsigned inventor				
Name Joseph Thomas O'Neil						
Signature	Hereph Thomas O'Neil	Date 12/22/99				
Citizenship	United States					
Address (line 1)	40 Hawley Avenue					
Address (line 2)	Staten Island					
Address (line 3)	Richmond County					
Address (line 4)	New York					
Address (line 5)	USA					
Zip Code	10312					
Name of Additi	ional Joint Inventor, if any:	tition has been filed for this unsigned inventor				
Name						
Signature		Date				
Citizenship						
Address (line 1)						
Address (line 2)						
Address (line 3)						
Address (line 4)						
Address (line 5)						
Zip Code						
	onal Joint Inventor, if any:	tition has been filed for this unsigned inventor				
Name Name						
Signature		Date				
Citizenship						
Address (line 1)						
Address (line 2)						
Address (line 3)						
Address (line 4)						
Address (line 5)						
Zip Code						
Name of Addition	onal Joint Inventor, if any:	ition has been filed for this unsigned inventor				
Name						
Signature		Date				
Citizenship						
Address (line 1)						
Address (line 2)						
Address (line 3)						
Address (line 4)						
Address (line 5)						
Zip Code	Commissioner for Patente Boy Detent Application Westign					